

1. Differentiate with respect to  $x$  and simplify your answer: (3)

$$y = \sin^{-1}(\sqrt{1-x^2}) + \cot^{-1}\left(\frac{1}{x}\right) - \sec^{-1}(5), \quad 0 < x \leq 1$$

2. Evaluate the following limits: (9)

a)  $\lim_{x \rightarrow 1^+} \left( \frac{x}{x-1} - \frac{1}{\ln x} \right)$

b)  $\lim_{x \rightarrow 0^+} \frac{3x}{\arctan 3x}$

c)  $\lim_{x \rightarrow \frac{\pi}{2}} (\tan x)^{\cos x}$

3. Evaluate the following integrals:

a)  $\int \frac{(x+1)}{\sqrt{2x+1}} dx$  (4)

b)  $\int_0^{\frac{\pi}{4}} (1 + \tan x)^3 \sec^2 x dx$  (4)

c)  $\int x^{5/2} \ln x dx$  (4)

d)  $\int \frac{\sec^4 x}{\tan^2 x} dx$  (4)

e)  $\int \frac{x^2 + x}{x^4 - 1} dx$  (4)

f)  $\int \frac{x^2}{\sqrt{1-4x^2}} dx$  (4)

4. Determine whether the following improper integrals converge or diverge. If an integral converges, find its exact value.

a)  $\int_0^9 \frac{1}{\sqrt[3]{1-x}} dx$  (4)

$$\text{b) } \int_{-\infty}^0 \frac{1}{1+4x^2} dx \quad (3)$$

5. Solve the differential equation. Provide a solution in a) implicit form and b) explicit form. (4)

$$y' \sqrt{1-x^2} = xy; \quad y(0) = 1, \quad y > 0$$

6. Compute the exact area of the region bounded by  $y = x$  and  $y = \ln x$  on the interval  $[1, e^2]$  (3)

7. Let  $R$  be the region bounded by  $x = -y^2 - 2y$  and the  $y$ -axis. Set up, **but DO NOT EVALUATE**, (6)

integrals corresponding to the volume of the solid obtained by rotating  $R$  around

a) the  $x$ -axis    b) the  $y$ -axis    c) the line  $y = 5$

8. Determine whether the sequence converges or diverges. If it converges, to what does it converge? (3)

a)  $\left\{ \frac{3^n}{n!} \right\}$

b)  $\left\{ n 2^{1/n} \right\}$

c)  $\left\{ \frac{1 + \cos n}{\sqrt{n}} \right\}$

9. Let  $\sum_{n=1}^{\infty} a_n$  be a series whose  $n^{\text{th}}$  partial sum is given by  $S_n = \frac{2n+1}{3n^2-n}$  (3)

a) Determine whether the series converges or diverges. If it converges, find its sum.

b) Find  $a_3$

10. Provide an example of each of the following: (3)

a) A sequence  $\{a_n\}$  such that  $\lim_{n \rightarrow \infty} a_n = 0$ , but  $\sum_{n=1}^{\infty} a_n$  diverges

b) A series  $\sum_{n=1}^{\infty} (a_n + b_n)$  which converges, but neither  $\sum_{n=1}^{\infty} a_n$  nor  $\sum_{n=1}^{\infty} b_n$  converges.

c) function  $f$  such that  $\lim_{x \rightarrow \infty} f(x)$  does not exist, but  $\lim_{n \rightarrow \infty} f(n)$  exists.

11. Suppose  $f$  and  $g$  are both decreasing functions such that  $0 < f(x) < g(x)$  for all  $x \geq 1$  and that

(5)

$\sum_{n=9}^{\infty} f(n)$  converges. Fill in each blank with the appropriate word (*must, might, cannot*)

a) the series  $\sum_{n=1}^{\infty} f(n)$  \_\_\_\_\_ converge

b) the integral  $\int_1^{\infty} f(x) dx$  \_\_\_\_\_ converge

c) the series  $\sum_{n=9}^{\infty} g(n)$  \_\_\_\_\_ converge

d) the series  $\sum_{n=9}^{\infty} \frac{1}{f(n)}$  \_\_\_\_\_ converge

e) if  $\lim_{n \rightarrow \infty} \frac{g(n)}{f(n)} = 5^8$ , then  $\sum_{n=9}^{\infty} g(n)$  \_\_\_\_\_ converge

12. Determine whether the series converges or diverges. Justify your answers.

a)  $\sum_{n=1}^{\infty} \frac{\arctan(n)}{\sqrt{n+1}}$  (3)

b)  $\sum_{n=1}^{\infty} \frac{n^2+1}{(n+1)^2} \cos\left(\frac{\pi}{4n}\right)$  (3)

c)  $\sum_{n=1}^{\infty} \left( \frac{3n}{n^3+1} - \frac{2^{n-1}}{3^n} \right)$  (3)

13. Determine whether the series is absolutely convergent, conditionally convergent, or divergent:

a)  $\sum_{n=1}^{\infty} (-1)^{n+1} \frac{2^n n^2}{(2n)!}$  (3)

b)  $\sum_{n=1}^{\infty} \frac{\cos[(n+1)\pi]}{n^{1/3}}$  (2)

c)  $\sum_{n=1}^{\infty} (-1)^n 4^n \left(2 - \frac{1}{n}\right)^{2n}$  (2)

continued

$$d) \sum_{n=1}^{\infty} \frac{\sin(2^n)}{(n+1)(n+2)}$$

14. Find the radius and interval of convergence for the power series  $\sum_{n=1}^{\infty} (-1)^n \frac{(x-2)^n}{n2^n}$  (4)

15. Write the Maclaurin series for  $f(x) = e^{-2x}$  in sigma notation with a formula for the  $n^{\text{th}}$  term. (2)

16. a) Write the first 5 terms of the Taylor series for  $f(x) = (2x-1)^{-2}$  with center 1. (6)

b) Write the series in sigma notation with a formula for the  $n^{\text{th}}$  term.

### Answers

1.  $\frac{1}{x^2+1} - \frac{1}{\sqrt{1-x^2}}$  2.  $\frac{1}{2}, 1, 1$  3.  $\sqrt{2x+1}(x-1)+C, \frac{15}{4}, \frac{2}{7}x^{7/2}\left(\ln x - \frac{2}{7}\right)+C$

$-\cot x + \tan x + C, \frac{1}{2}\left[\ln|x-1| - \frac{1}{2}\ln(x^2+1) + \tan^{-1}x\right] + C, \frac{1}{16}\sin^{-1}(2x) - \frac{1}{8}x\sqrt{1-4x^2} + C$

4.  $-\frac{9}{2}, -\frac{\pi}{4}$ , 5.  $\ln y = 1 - \sqrt{1-x^2}, y = e^{1-\sqrt{1-x^2}}$  6.  $\frac{1}{2}e^4 - e^2 - \frac{3}{2}$

7. Shell:  $\int_{-2}^0 -2\pi y(y^2+2y) dy$  Ring:  $\int_{-2}^0 \pi(y^2+2y)^2 dy$  Shell:  $\int_{-2}^0 -(y+5)(y^2+2y) dy$

8. C to 0 by the Sq. theorem, D, C to 0 by the Sq. theorem

9. C to 0, its sum is zero,  $a_3 = -\frac{5}{24}$  10.  $\sum \frac{1}{n^p}, 0 < p \leq 1, \sum \frac{1}{n}$  and  $\sum -\frac{1}{n}, f(n) = \cos 2n\pi$

11. must, must, might, cannot, must

12. D by LCT with  $\sum_1^{\infty} \frac{1}{\sqrt{n+1}}$  which D, D by NTT for D, C: sum of convergent series

13. AC by the Ratio Test, Not AC, but C by the AST, hence CC, D by the NTT for D OR D by the Ratio Test

AC by the Comparison Test of  $\sum_1^{\infty} |a_n|$  with  $\sum \frac{1}{(n+1)(n+2)}$  which C

14. Rad. is 2, Interval of C is  $(0, 4]$  15.  $e^{-2x} = \sum_0^{\infty} \frac{(-1)^n 2^n x^n}{n!}$  16.  $(2x-1)^{-2} = \sum_0^{\infty} (-1)^n (n+1)2^n (x-1)^n$